



RoHS Compliance



Material:  
 Housing:30% Glass Filled PPS UL94V-0  
 Contacts:Brass  
 Plating: Gold 1.25u" Over 50u" Nickel

Electrical Characteristics:  
 Current Rating :2.0AMP  
 Voltage Rating :60V AC/DC  
 Insulator Resistance:1000MΩ min.at 100V AC  
 Contact Resistance:20mΩ max.  
 Operating Temperature:-40°C~+105°C

Order Information:

ERYAY09XD-1-XX-S1

IC Socket

ROW

1-Single Layer

2-Double Layer

No.of 2~50 Pins

Type:

S1 Straight Pin(L10.0mm)

S2-Straight Pin(L12.1mm)

R-Right Angle Pin

NINGBO ERYCO ELECTRONIC CO.,LTD


UNITS:mm	SHEET SIZE: A4	SCALE:---	DRWN BY PAN
0~3	3~18	18~50	50~120
±0.12	±0.15	±0.3	±0.5

CHK'D BY FENG

APPR BY ZHAN




1.778mm Round Pin Header  
 SIP Socket Connector

THIRD ANGLE PROJECTION



ERYAY09XD-1-XX-S1

RoHS Compliance



Material:

Housing: 30% Glass Filled PPS UL94V-0

Contacts: Brass

Plating: Gold 1.25u" Over 50u" Nickel

Electrical Characteristics:

Current Rating : 2.0AMP

Voltage Rating : 60V AC/DC

Insulator Resistance: 1000MΩ min. at 100V AC

Contact Resistance: 20mΩ max.

Operating Temperature: -40°C ~ +105°C

Order Information:

ERYAY09XD-1-XX-S2

IC Socket

ROW

1-Single Layer

2-Double Layer

No. of 2~50 Pins

Type:

S1 Straight Pin (L10.0mm)

S2 Straight Pin (L12.1mm)

R-Right Angle Pin

NINGBO ERYCO ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE: ---

DRWN BY PAN

1.778mm Round Pin Header  
SIP Socket Connector

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION



ERYAY09XD-1-XX-S2

±0.12



±0.15

±0.3

±0.5

APPR BY ZHAN

RoHS Compliance




Material:  
 Housing:30% Glass Filled PPS UL94V-0  
 Contacts:Brass  
 Plating: Gold 1.25u" Over 50u" Nickel

Electrical Characteristics:  
 Current Rating :2.0AMP  
 Voltage Rating :60V AC/DC  
 Insulator Resistance:1000MΩ min.at 100V AC  
 Contact Resistance:20mΩ max.  
 Operating Temperature:-40°C~+105°C

Order Information:


ERYAY09XD-1-XX-R



S1 Straight Pin(L10.0mm)  
 S2-Straight Pin(L12.1mm)  
 R-Right Angle Pin

NINGBO ERYCO ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4		SCALE:---	DRWN BY PAN
0~3	3~18	18~50	50~120	CHK'D BY FENG
±0.12	±0.15	±0.3	±0.5	APPR BY ZHAN

1.778mm Round Pin Header  
 SIP Socket Connector  
 THIRD ANGLE PROJECTION  
  
 ERYAY09XD-1-XX-R